EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	(drift near compensat$4) same (clk or clock) and (clk or clock) with (phase near (alignme$4 or match$4 or adjust$4)) and (register$3 same (control$3 near (unit or logic or ckt or circuit))) and @ad<"20040630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/30 13:21
S1	445	(drift near compensat$4) same (clk or clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:23
S2	346	(drift near compensat$4) same (clk or clock) and @ad<"20040630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 15:19
S3	159	(drift compensat$4) same (clk or clock) and @ad<"20040630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/12 16:00
S4	1	(drift near compensat$4) same ((clk or clock) near (phase near (alignme$4 or match$4 or adjust$4))) and @ad<"20040630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 17:28
S5	4	(drift near compensat$4) same (phase near (alignme$4 or match$4 or adjust$4)) and register$3 and (control$3 near (unit or logic or ckt or circuit)) and @ad<"20040630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 14:14
S6	133	((clk or clock) with compensat$4) same (phase near (alignme$4 or match$4 or adjust$4)) and register$3 and (control$3 near (unit or logic or ckt or circuit)) and @ad<"20040630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 18:35

EAST Search History

S7	1504	(clk or clock) with (phase near (alignme$4 or match$4 or adjust$4)) and register$3 and (control$3 near (unit or logic or ckt or circuit)) and @ad<"20040630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 18:36
S8	623	(clk or clock) with (phase near (alignme$4 or match$4 or adjust$4)) and (register$3 same (control$3 near (unit or logic or ckt or circuit))) and @ad<"20040630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 18:38
S9	144	S8 and "375"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 18:43
S10	2	(phase shift) and (data with companion near clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/12 10:17
S11	2	(phase shift) and (data same companion near clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/12 10:17
S12	2	(phase shift) and (data same (companion near clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/12 10:29
S13	389	(phase shift) and (data same ((companion or accompan$5 or associat$3) near clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/12 10:30
S14	318	(phase shift) and (data with ((companion or accompan$5 or associat$3) near clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/12 10:31

S15	271	(phase shift) and (data with ((companion or accompan$5 or associat$3) near clock)) and @ad<"20040630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/12 10:32
S16	17	(phase shift) and (data with ((companion or accompan$5 or associat$3) near clock)) and ((clk or clock) with (phase near (alignme$4 or compensa$4 or adjust$4))) and (register$3 same (control$3 near (unit or logic or ckt or circuit))) and @ad<"20040630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/12 10:35
S17	1	drift near (compensat$4 or counterbalance or even out or even off or even up) same ((first or second or multip$4 or plural$4) near (clk or clock) near phase near (align$5 or adjust$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/25 16:01
S18	3	drift near (compensat$4 or counterbalance or even out or even off or even up) and ((first or second or multip$4 or plural$4) near (clk or clock) near phase near (align$5 or adjust$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/25 16:08
S19	3	drift near (compensat$4 or counterbalance or even out or even off or even up) and ((first or second or multip$4 or plural$4) near (clk or clock) near phase near (align$5 or adjust$3 or lock$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/25 16:09
S20	19	drift near (compensat$4 or counterbalance or even out or even off or even up) and ((first or second or multip$4 or plural$4) near (phase near lock or pll))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/25 16:52
S21	1	(clk or clock) with (drift near (compensat$4 or counterbalanc$4 or (even near out) or (even near off) or (even near up))) and ((first or second or multip$4 or plural$4) near ((phase near lock or pll) or (phase near align$6)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/25 16:58

EAST Search History

S22	21	(drift near (compensat$4 or counterbalanc$4 or (even near out) or (even near off) or (even near up))) and ((first or second or multip$4 or plural$4) near ((phase near lock or pll) or (phase near align$6)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/25 17:02
S23	5235	375/371.ccls. or 375/373.ccls. or 375/376.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/25 18:36
S24	2751	S23 and ((first or second or multip$4 or plural$4 or two) near ((clk or clock) near phase near (align$5 or adjust$3)) or (phase near lock or pll))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:40
S25	23	S23 and ((first or second or multip$4 or plural$4 or two) near ((clk or clock) near phase near (align$5 or adjust$3)) or (phase near lock or pll)) and ((drift or displacem$4) near compensat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/25 18:41
S26	21	S23 and ((first or second or multip$4 or plural$4 or two) near ((clk or clock) near phase near (align$5 or adjust$3)) or (phase near lock or pll)) and ((drift or displacem$4) near compensat$4) and @ad<"20040630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/25 18:44
S27	3	S23 and ((first or second or multip$4 or plural$4 or two) near (((clk or clock) near phase near (align$5 or adjust$3)) or (phase near lock or pll))) and ((drift or displacem$4) near compensat$4) and @ad<"20040630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/25 18:46
S28	4	S23 and ((first or second or multip$4 or plural$4 or two) near (((clk or clock) near2 (align$5 or adjust$3)) or (phase near lock or pll))) and ((drift or displacem$4) near (compensat$4 or adjust$5)) and @ad<"20040630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/25 18:47

EAST Search History

S29	6	10/906345.app. or 10/249976. app. or 10/290219.app. or "10"". ""707385".app. or 10/707479.app. or 09/096944.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 14:42
S30	180729	(clock or clk or phase) near (align$5 or adjust$4 or control$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 14:51
S31	17	(clock or clk or phase) near (align$5 or adjust$4 or control$4) same (second near deviat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 15:41
S32	2933	((clock or clk or phase) near (align$5 or adjust$4 or control$4)) same (multipl$3 or plural$4 or second or two) adj2 (pll or (phase near (adjust$3 or align$4 or compensa$4 or shift$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:23
S33	1970	((clock or clk or phase) near (align$5 or adjust$4 or control$4)) same (multipl$3 or plural$4 or second or two) adj2 (pll or (phase near (adjust$3 or align$4 or compensa$4 or shift$4))) and @ad<"20030830"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 15:47
S34	1583	((clock or clk or phase) near (align$5 or adjust$4 or control$4)) with (multipl$3 or plural$4 or second or two) adj2 (pll or (phase near (adjust$3 or align$4 or compensa$4 or shift$4))) and @ad<"20030830"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 15:48
S35	8	((phase near lock$3 near loop or pll) with (first near2 (cdr or (clock near data near recover$3))) and (second near2 (cdr or (clock near data near recover$3))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 11:52
S36	14	((phase near lock$3 near loop or pll) same (first near2 (cdr or (clock near data near recover$3))) and (second near2 (cdr or (clock near data near recover$3))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 11:52

EAST Search History

S37	14	((phase near lock$3 near loop or pll) same (first near2 (cdr or (clock near data near recover$3)))) and (second near2 (cdr or (clock near data near recover$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 12:50
S38	3	"6864734"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 14:16
S39	1	2004/0264619	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 14:17
S40	2	"20040264619"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 14:17
S41	2171	375/371.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:28
S42	14	(drift near compensat$4) same (clk or clock) and S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:35
S43	3560	375/354.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:31
S44	12620	375/354.ccls. or 375/371.ccls. or 327/141.ccls. or 358/409.ccls. or 358/424.ccls. or 370/503.ccls. or 704/270.1.ccls. or 709/248.ccls. or 713/375.ccls. or 713/601.ccls. or 714/12.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:38

EAST Search History

S45	36	(drift near compensat$4) same (clk or clock) and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/30 13:21
S46	148395	375/354.ccls. or 375/371.ccls. or 327/141.ccls. or "348"/$.ccls. or 358/409.ccls. or 358/424.ccls. or 370/503.ccls. or 704/270.1.ccls. or 709/248.ccls. or 713/375.ccls. or 713/601.ccls. or 714/12.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:39
S47	98789	((first or second or multip$4 or plural$4 or two) near ((clk or clock) near phase near (align$5 or adjust$3)) or (phase near lock or pll))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:40
S48	1791	((first or second or multip$4 or plural$4 or two) near ((clk or clock) near phase near (align$5 or adjust$3)) or (phase near lock or pll)) and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:42
S49	0	((first or second or multip$4 or plural$4 or two) near ((clk or clock) near phase near (align$5 or adjust$3)) or (phase near lock or pll)) and S44 and @ad<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:41
S50	1696	((first or second or multip$4 or plural$4 or two) near ((clk or clock) near phase near (align$5 or adjust$3)) or (phase near lock or pll)) and S44 and (@pd<"20040630" or @ad<"20040630" or @prad<"20040630" or @rlad<"20040630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:44
S51	20	((first or second or multip$4 or plural$4 or two) near ((clk or clock) near phase near (align$5 or adjust$3)) or (phase near lock or pll)) and S44 and (@pd<"20040630" or @ad<"20040630" or @prad<"20040630" or @rlad<"20040630") and ((drift or displacem$4) near (adjust$4 or compensat$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:45